



# INTERLAM™

SURFACES REDEFINED

ART DIFFUSION 

elements 

SCREENS 



**ART DIFFUSION**  
ARCHITECTURAL PANEL COLLECTION

### **ART DIFFUSION**

**The Art Diffusion line consists of more than 150 architectural wall panel patterns that offer a dramatic alternative to traditional flat walls. Our sculpted and carved panels contain architectural elements such as waves, ornamental textures, modular repeating patterns and continuous patterns.**








**ASHLAR** Amati Walnut Membrane finish. Nominal Panel Size: Customer preference. Depth: 0.5"-0.75". Panel Thickness: 0.5"-0.75" plus 0.5" backer-board. Pattern Type: Stacked. Each piece is connected to a backer-board of 0.5" baltic birch plywood using the Interlink system.



**B-001** Red and Black Colored MDF. (clearcoated) PD: 0.375". PT: 0.75". Pattern type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction. (Repeating 4' x 8') Custom sizes also available.



**CBB** Shown in raw IDF. PD: 0.425". PT: 0.75". Pattern Type: Repeating. It is limited to 4'x8' repeating panels only.



**BEAD** Shown in orange colored MDF. PD: 0.156". PT: 0.75". Pattern Type: Repeating. Standard panel size is 48" x 96". Please call for custom size availability. Pattern direction may be selected in vertical direction or horizontal direction.



**BB** Shown in Sandblast Acrylic. PD: 0.2". PT: 0.75". Pattern Type: repeating/Continuous. Notes: Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction. Custom sizes also available.



**BIO 5** Shown in Copper Oxy finish. PD: 0.184". PT: 0.75". Pattern Type: Repeating. Pattern available in standard 48" x 96" or 48" x 120" panel sizes. Pattern repeats every 24 inches perpendicular to pattern direction and every 24 inches parallel to pattern direction. Pattern direction may be selected in vertical direction or horizontal direction.



**BIO 6F** Clear/carved brown colored MDF. PD: 0.4". PT: 0.75" Pattern Type: Repeating. Pattern available in standard 48"x96" or 48"x120" panel sizes. Pattern repeats every 12 inches perpendicular to pattern direction and every 12 inches parallel to pattern direction. Pattern direction may be selected in vertical direction or horizontal direction.



**BIO 7** Clear/carved blue colored MDF PD: .4". PT: .75". Pattern type: repeating. Pattern available in standard 48"x96" or 48"x120" panel sizes. Pattern repeats every 12 inches perpendicular to pattern direction and every 12 inches parallel to pattern direction. Pattern direction may be selected in vertical direction or horizontal direction.



**BIO 8** Shown in Bronze Metallic Paint. PD: 0.223". PT: 0.75". Pattern Type: Repeating. Pattern available in standard 48"x96" or 48"x120" panel sizes. Pattern repeats every 6 inches perpendicular to pattern direction and every 6 inches parallel to pattern direction. Pattern direction may be selected in vertical direction or horizontal direction.



**Bio 8F** Shown in White Membrane finish.  
PD: 0.155". PT: 0.75". Pattern Type: Repeating.  
Pattern available in standard 48"x96" or 48"x120"  
panel sizes. Pattern repeats every 6 inches  
perpendicular to pattern direction and every 6  
inches parallel to pattern direction. Pattern  
direction may be selected in vertical direction or  
horizontal direction.



**Bizarro** Shown in Antique Copper.  
Nominal Panel Size: 51" x 96"  
Pattern Depth: up to 0.75". Panel  
Thickness: 0.75" plus 0.5". Pattern Type:  
Stacked. Each piece is connected to a  
backer-board of 0.5" baltic birch plywood  
using the Interlink system.



**CB 15** Shown in unfinished IDF\*  
PD: 0.375". PT: 1.5". Pattern Type: Repeating.  
Square sizes are 1-1/2" x 1-1/2". It is limited to 4'x8'  
panel only.  
\* - if product is ordered raw IDF then the overall  
thickness will be 1.25 inches.



**CB 30** Shown in unfinished IDF\*  
PD: 0.375". PT: 1.5". Pattern Type: Repeating.  
Square sizes are 3" x 3". It is limited to 4'x8'  
panel only.  
\* - if product is ordered raw IDF then the overall  
thickness will be 1.25 inches.



**CB15-3** Shown in unfinished IDF\*.  
PD: 0.375". PT: 1.5". Pattern Type: Repeating.  
Rectangle sizes are 1.5" x 3". It is limited to 4'x8'  
panel only.  
\* - if product is ordered raw IDF then the overall  
thickness will be 1.25 inches.



**CB 15-5-1** Shown in unfinished IDF\*  
PD: 0.375". PT: 1.5". Pattern Type: Repeating.  
Rectangle sizes are 1.5" x 5" and 1.5" x 1". It is  
limited to 4'x8' panel only.  
\* - if product is ordered raw IDF then the overall  
thickness will be 1.25 inches.



**CLK001** Shown in Snow White membrane finish.  
PD: 0.55". PT: 0.75". Pattern type: Repeating/  
Continuous. Pattern repeats every 12 inches  
perpendicular to pattern direction and every 24  
inches parallel to pattern direction. Custom sizes  
also available. Pattern direction may be selected in  
vertical direction or horizontal direction.



**COP 001** Summer Flame Membrane finish.  
PD: 0.3". PT: 0.75". Pattern Type: Continuous.  
Pattern is NON-repeating. Pattern direction may be  
selected in vertical direction or horizontal direction.



**COP 001x2** Shown in Red membrane finish.  
PD: 0.6". PT: 1". Pattern Type: Continuous. Standard  
panel size is 48" x 96". Panel layout must be  
submitted in order to achieve panel match. Pattern  
direction may be selected in vertical direction or  
horizontal direction.




**COP 002** Shown in unfinished red colored MDF. PD: 0.3". PT: 0.75". Pattern Type: Repeating/Continuous. Standard panel size is 48" x 96". Pattern repeats every 24 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction - vertical or horizontal.



**COP 003** Red high gloss membrane finish. PD: 0.3". PT: 0.75". Pattern Type: Repeating. Standard panel size is 48" x 96". Pattern repeats every 12 inches perpendicular to pattern direction and every 24 inches parallel to pattern direction - vertical or horizontal.



**COP 004** Shown in blue colored MDF. PD: 0.3". PT: 0.75". Pattern Type: Repeating/Continuous. Standard panel size is 48" x 96". Pattern repeats every 12 inches perpendicular to pattern direction and every 24 inches parallel to pattern direction - vertical or horizontal.



**COP 006** Shown in customer specified finish. PD: 0.4". PT 0.75". Pattern Type: Continuous. Standard panel size is 48" x 96". Pattern is NON-repeating. Panel layout must be submitted in order to achieve panel match. Pattern direction may be selected in vertical direction or horizontal direction.



**COP 007** Snow White membrane finish. PD: 0.3". PT: 0.75". Pattern Type: Repeating/Continuous. Standard panel size is 48" x 96". Pattern repeats every 12 inches perpendicular to pattern direction and every 12 inches parallel to pattern direction - vertical or horizontal.



**COP 008** Snow White membrane finish. PD: 0.6". PT: 1". Pattern Type: Repeating/Continuous. Standard panel size is 48" x 96". Pattern repeats every 24 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction. Pattern direction - vertical or horizontal.



**COP 011** Snow White membrane finish. PD: 0.2". PT: .75". Pattern Type: Continuous. Standard panel size is 48" x 96". Pattern is NON-repeating. Panel layout must be submitted in order to achieve panel match. Pattern direction may be selected in vertical direction or horizontal direction.



**COP 800** Snow White membrane finish. PD: 0.3". PT: 0.75". Pattern Type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 12 inches parallel to pattern direction. Pattern direction may be selected in vertical direction or horizontal direction.



**COP 802** Shown in Amati PC membrane finish. PD: 0.3". PT: 0.75". Pattern type: Repeating/Continuous. Pattern repeats every 24 inches perpendicular to pattern direction and every 24 inches parallel to pattern direction. Pattern direction may be selected in vertical direction or horizontal direction.



**COP 803** Shark Gray membrane finish.  
PD: 0.3". PT: 0.75". Pattern Type: Repeating/  
Continuous. Pattern repeats every 12 inches  
perpendicular to pattern direction and every  
12 inches parallel to pattern direction.  
Pattern direction may be selected in  
vertical direction or horizontal direction.



**COP 804** Shown in white painted finish.  
PD: 0.6". PT: 1". Pattern type: Repeating/  
Continuous. Pattern repeats every 24 inches  
perpendicular to pattern direction and every  
24 inches parallel to pattern direction.  
Pattern direction may be selected in  
vertical direction or horizontal direction.



**COT 004** Shown in finish by others.  
PD: 0.63". PT: 1". Pattern type: Repeating/  
Continuous. Pattern repeats every 24  
inches perpendicular to pattern direction  
and every 48 inches parallel to pattern  
direction. Pattern direction may be in  
vertical direction or horizontal direction.



**COT 004.5** Super Real Walnut membrane finish.  
PD: 0.23". PT: 0.75". Pattern type: Repeating/  
Continuous. Pattern repeats every 12 inches  
perpendicular to pattern direction and every  
48 inches parallel to pattern direction.  
Pattern direction may be selected in  
vertical direction or horizontal direction.



**COT 004.25** Pasadena Maple membrane finish  
PD: 0.115". PT: 0.75". Pattern type: Repeating/  
Continuous. Pattern repeats every 24 inches  
perpendicular to pattern direction and every  
48 inches parallel to pattern direction.  
Pattern direction may be selected in  
vertical direction or horizontal direction.



**COT 004x2** Sakura PA membrane finish  
PD: 0.92". PT: 1.5". Pattern type: Repeating/  
Continuous. Pattern repeats every 48 inches  
perpendicular to pattern direction and every  
96 inches parallel to pattern direction. MUST  
BE A-B PANEL MATCH FOR HORIZONTAL  
PATTERN REPEAT.



**COT 008** Pasadena Maple membrane finish.  
PD: 0.46". PT: 1". Pattern type: Repeating/  
Continuous. Pattern repeats every 24 inches  
perpendicular to pattern direction and  
every 48 inches parallel to pattern direction.  
Pattern direction may be selected in  
vertical direction or horizontal direction.



**COU 001** Shown in finish by others.  
PD: 0.6". PT: 1" Pattern Type: Continuous.  
Pattern is non-repeating. Panel layout must  
be submitted in order to achieve panel  
match. Pattern direction may be selected in  
vertical direction or horizontal direction.



**COU 001x2** Snow White membrane finish.  
PD: 1.2". PT: 1.5" Pattern Type: Continuous.  
Pattern is non-repeating. Panel layout must  
be submitted in order to achieve panel  
match. Pattern direction may be selected in  
vertical direction or horizontal direction.



**COU 002** Shown in finish by others.  
PD: 0.64". PT: 1" Pattern Type: Continuous.  
Pattern is non-repeating. Panel layout must  
be submitted in order to achieve panel  
match. Pattern direction may be selected in  
vertical direction or horizontal direction.



**COU 002x2** Shown in finish by others.  
PD: 1.28". PT: 1.5" Pattern Type: Continuous.  
Pattern is non-repeating. Panel layout must  
be submitted in order to achieve panel  
match. Pattern direction may be selected in  
vertical direction or horizontal direction.



**COU 003** Shown in Rusty Steel finish.  
PD: 0.5", 0.9". PT: 1", 1.5". Panel Type: Single  
Panel. Pattern is only available in 4'x8'. Can be  
mirrored or "book matched" to allow for side  
by side installation.



**COU 900** Snow White membrane finish.  
PD: 1.2". PT: 1.5" Pattern Type: Repeating/  
Continuous. Pattern repeats every 48 inches  
perpendicular to pattern direction and every  
96 inches parallel to pattern direction. **MUST  
BE A-B PANEL MATCH FOR HORIZONTAL  
PATTERN REPEAT.**



**DIMPLES** Brown Leather membrane finish.  
PD: 0.5". PT: 0.75". Pattern Type: Repeating. It  
is limited to 4'x8' repeating panels only.  
Cannot be produced in different sizes.



**DMD150** Shown in finish by others.  
PD: 0.75". PT: 1". Pattern Type: Repeating.  
Pattern available in standard 48" x 96" or 48"  
x 120" panel sizes.



**DMD350** Snow White membrane finish.  
PD: 0.375". PT: 0.75". Pattern Type: Repeating.  
Pattern available in standard 48" x 96" or 48"  
x 120" panel sizes.



**DMD350 II** Shown in finish by others.  
PD: 0.375". PT: 0.75". Pattern Type: Repeating.  
Pattern available in standard 48" x 96" or 48"  
x 120" panel sizes. Pattern direction may be  
selected in vertical direction or horizontal  
direction.



**DMK350** Shown in finish by others.  
PD: 0.375". PT: 0.75". Pattern Type: Repeating.  
Pattern available in standard 48" x 96" or 48"  
x 120" panel sizes. Pattern direction may be  
selected in vertical direction or horizontal  
direction.





**ELP001** Shown in raw HDF finish.  
PD: 0.55". PT: 0.75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction  
and every 24 inches parallel to pattern  
direction. Pattern can also be "force  
matched" for any size panel.



**ELP001A** Clear coat/carved green colored MDF.  
PD: 0.093". PT: 8mm. Pattern Type: Repeating/  
Continuous. Notes: It is limited to 4'x8'  
repeating panels only. Cannot be produced  
in different sizes. Vertical pattern direction  
only.



**EXM001** Shown in Snow White membrane finish.  
PD: 0.5". PT: 0.75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction  
and every 12 inches parallel to pattern  
direction.



**EXM002-4** Snow White membrane finish.  
PD: 0.5". PT: .75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every  
12 inches perpendicular to pattern direction  
and every 12 inches parallel to pattern  
direction.



**EXM002-6** Snow White Membrane finish.  
PD: 0.5". PT: 0.75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction  
and every 12 inches parallel to pattern  
direction.



**FL1** Shown in unfinished HDF.  
PD: 0.25". PT: 0.75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction.  
Pattern direction may selected in vertical  
direction or horizontal direction.



**FL2** Shown in finish by others.  
PD: 0.5". PT: 0.75" Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every  
12 inches perpendicular to pattern  
direction. Pattern direction can selected in  
vertical direction or horizontal direction.




**FL2R** Shown in Dark Sydney Maple.  
PD: 0.5". PT: 0.75". Pattern type: Repeating.  
It is limited to 4'x8' and 4'x10' panel sizes  
only. Pattern direction may selected in  
vertical direction or horizontal direction.



**HAM001** Shown in blue colored MDF.  
PD: 0.2". PT: 0.75" Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every  
12 inches perpendicular to pattern direction  
and every 24 inches parallel to pattern  
direction.



**HEXSTAR** Customer specified gold paint. Repeating 4x8 panel ONLY. Custom sizes are NOT available. Core options: 1-1/2" IDF with 1" Deep Pocketed Hexes. See website for colored MDF option.



**HSHAM001** Shown in finish by others. PD: 0.15". PT: 0.75" Pattern Type: Repeating/Continuous. Half the scale of HAM 001. Pattern repeats every 12 inches perpendicular to pattern direction and every 24 inches parallel to pattern direction.




**HSPVT** Red/Black color MDF. PD: 0.5". PT 0.75" Pattern Type: Repeating. Pattern available in standard 48" x 96" or 48" x 120" panel sizes. Pattern repeats every 6" along the 4' side of panel and every 12" along the 8' side of panel.




**IBS075** Black MDF/copper metallic paint. PD: 0.3". PT: 0.75". Pattern type: Continuous. Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match.



**ILW12B** Sakura PA / Pearwood membrane finish. PD: 0.156", PT: 0.75" Pattern Type: Repeating. Pattern is limited to 4x8 repeating panels only. It cannot be produced in different sizes.



**KNB173** Shown in Red colored MDF. PD: 0.75". PT: 1.5". Pattern Type: Repeating. Panel has interlocking edges. Please call for details. Pattern is limited to repeating panels only. Cannot be produced in different sizes.



**KNB250** Shown in unfinished HDF. PD: 0.75". PT: 1.5". Pattern Type: Repeating. Panel has interlocking edges. Please call for details. Pattern is limited to repeating panels only. Cannot be produced in different sizes.



**LABRYS** Shown in Amati Walnut membrane finish. Nominal interlocking size: 55" x 103". Wave range (lowest point to highest point on each component) 0.25" to 1.5". Thickness includes 0.5" Baltic Birch plywood backer. Custom sizes to fit individual needs. Starter blocks (for edges) are available. Wall sizes will need to be submitted to Interlam for best layout.



**PCK015** Black and orange colored MDF. PD: 0.75". PT: 1.5". Pattern Type: Repeating. Panel has interlocking edges. Please call for details. Cannot be produced in different sizes.





**PLW12** Shown in copper metallic paint.  
PD: 1.5". PT: 2". Pattern Type: Repeating.  
Thickness includes 0.5" Baltic Birch plywood  
backer. It is limited to either 4'x8' or 4'x10'  
panel sizes only.



**PMD001** Super Real Walnut membrane finish.  
PD: 0.125". PT: 0.75". Pattern Type: Repeating.  
Pattern looks like small pyramids. It is  
limited to either 4'x8' or 4'x10' panel sizes  
only.



**PMD002** Super Real Walnut membrane finish.  
PD: 0.25". PT: 0.75". Pattern Type: Repeating.  
Pattern looks like small pyramids, and is two  
times the size of PMD 001. It is limited to  
either 4'x8' or 4'x10' panel sizes only.



**POP001** Shown in unfinished HDF.  
PD: 0.17". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction.  
Pattern direction may be selected in vertical  
direction or horizontal direction.



**POP001.5** Shown in finish by others.  
PD: 0.08". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction.  
Pattern direction may be selected in vertical  
direction or horizontal direction.



**POP001U** Shown in finish by others.  
PD: 0.04". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction.  
Pattern direction may be selected in vertical  
direction or horizontal direction.



**POP002** Shown in unfinished raw IDF.  
PD: 0.34". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction.  
Pattern direction may be selected in vertical  
direction or horizontal direction.



**POP004** Shown in unfinished IDF.  
PD: 0.375". PT: 0.75". Pattern type: Repeating.  
Produced in 4'x8' repeating panels. Call for  
custom sizes.



**POP005** Shown in Celtec.  
PD: 0.625". PT: 0.75". Pattern type: Repeating.  
Pattern repeats every 12 inches  
perpendicular to pattern direction.  
Produced in 4'x8' repeating panels. Call  
for custom sizes.



**POP006** Shown in finish by others.  
PD: 0.17". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction.  
Pattern direction may be selected in vertical  
direction or horizontal direction.



**POP007** Shown in Celtec.  
PD: 0.35". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction.  
Call for custom sizes.



**POP010** Shown in Snow White membrane finish.  
PD: 0.6". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 24  
inches perpendicular to pattern direction.  
Pattern direction may be selected in vertical  
direction or horizontal direction.



**POP011** Shown in Maria Rose membrane finish.  
PD: 0.3". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 24  
inches perpendicular to pattern direction.  
Pattern direction may be selected in vertical  
direction or horizontal direction.



**PVT** Blue colored MDF / brushed aluminum overlay.  
PD: 0.25". PT: 0.75". Pattern Type: Repeating.  
Pattern repeats every 12" along the 4' side of  
panel and every 24" along the 8' side of panel.



**RBU305** Blue and black colored MDF / clear coat.  
PD: 0.5". PT: 0.75". Pattern Type: Repeating.  
It is limited to 4'x8' repeating panels only.  
Cannot be produced in different sizes.




**RGRD33** Shown in finish by others.  
PD: 0.25". PT: 0.75". Pattern Type: Repeating.  
It is limited to 4'x8' repeating panels only.  
Cannot be produced in different sizes.




**RGRD66** Shown in Maria Rose membrane finish.  
PD: 0.25". PT: 0.75". Pattern Type: Repeating.  
It is limited to 4'x8' repeating panels only.  
Cannot be produced in different sizes.



**RHSPVT** Shown in unfinished IDF.  
PD: 0.4". PT: 0.75". Pattern Type: Repeating.  
Pattern repeats every 6" along the 4' side of  
panel and every 12" along the 8' side of panel.



**ROD010** Shown in red colored MDF.  
PD: 0.75". PT: 1.5". Pattern Type: Repeating.  
Pattern is limited to 4x8 repeating panels only. It cannot be produced in different sizes.



**ROD110** Shown in red colored MDF.  
PD: 0.75". PT: 1.5". Pattern Type: Repeating.  
Panel has interlocking edges. Please call for details.



**RPVT** Shown in Chocolate Matrix Siltex finish.  
PD: 0.4". PT: 0.75". Pattern Type: Repeating.  
Pattern repeats every 12" along the 4' side of panel and every 24" along the 8' side of panel. Cannot be produced in different sizes.



**RS125** Vero Dark Sydney Maple membrane finish.  
PD: 0.18". PT: 0.75". Pattern Type: Continuous.  
Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match. Pattern direction may be selected in vertical direction or horizontal direction.



**RS250** Shown in Wisconsin PA membrane finish.  
PD: 0.18". PT: 0.75". Pattern Type: Continuous.  
Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match. Pattern direction may be selected in vertical direction or horizontal direction.



**RW305** Orange and black unfinished colored MDF  
PD: 0.75" PT: 1"-1.5" Pattern Type: Repeating. It is limited to 4'x8' repeating panels only. Cannot be produced in different sizes.



**RWCL305** Black color MDF/acrylic mirror overlay.  
PD: 0.25" PT: 0.75". Pattern Type: Repeating.  
It is limited to 4'x8' repeating panels only. Cannot be produced in different sizes.



**RWG001** Amati Walnut membrane finish.  
PD: 0.25". PT: 0.75". Pattern type: Repeating/  
Continuous. Notes: Pattern repeats every 12 inches perpendicular to pattern direction. Pattern direction may be selected in vertical direction or horizontal direction.



**SCL020** Shown in Shark Grey membrane finish.  
PD: 0.1". PT: 0.25". Pattern Type: Continuous.  
Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match. Pattern direction may be selected in vertical direction or horizontal direction.



**SM403** Unfinished red and gray colored MDF.  
PD: 0.51". PT: 0.75" Pattern Type: Repeating/  
Continuous. Pattern repeats every 12 inches  
perpendicular to pattern direction and  
every 24 inches parallel to pattern direction.  
Pattern direction may be selected in  
vertical direction or horizontal direction.



**SOT001** Shown in Copper Oxy finish.  
PD: 0.44". PT: 0.75". Pattern Type: Repeating/  
Continuous. Pattern repeats every 12 inches  
perpendicular to pattern direction and every  
24 inches parallel to pattern direction.  
Pattern direction may be selected in  
vertical direction or horizontal direction.



**SOT002** Shown: Customer specified green paint.  
PD: 0.5". PT: 0.75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every  
12 inches perpendicular to pattern direction  
and every 48 inches parallel to pattern  
direction. Pattern direction may be selected in  
vertical direction or horizontal direction.



**SOT002x2** Snow White membrane finish.  
PD: 1.0". PT: 1.5". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every  
24 inches perpendicular to pattern direction  
and every 96 inches parallel to pattern  
direction. Must be "A-B" panel match for  
horizontal repeat.



**SOT002x4** Shown in white paint finish.  
PD: 1.2". PT: 1.5" Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every  
48 inches perpendicular to pattern direction  
and every 96 inches parallel to pattern  
direction. Must be "A-B" panel match for  
horizontal repeat.



**SOT022** Shown in finish by others.  
PD: 0.22". PT: 0.75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction  
and every 48 inches parallel to pattern  
direction. Pattern direction may be selected  
in vertical direction or horizontal direction.



**SOT403** Shown: Red High Gloss membrane finish.  
PD: 0.51". PT: 0.75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every 12  
inches perpendicular to pattern direction  
and every 24 inches parallel to pattern  
direction. Pattern direction may be selected  
in vertical direction or horizontal direction.



**SOT403x2** Shown in white paint finish.  
PD: 1". PT: 1.5". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every 24  
inches perpendicular to pattern direction  
and every 96 inches parallel to pattern  
direction. Must be "A-B" panel match for  
horizontal repeat.




**SOT800** Shown in finish by others.  
PD: 0.3". PT: 0.75". Pattern Type: Repeating/  
Continuous. Notes: Pattern repeats every 24  
inches perpendicular to pattern direction  
and every 48 inches parallel to pattern  
direction.



**SOU001** Shown in Snow White membrane finish. PD: 0.75". PT: 1". Pattern Type: Continuous. Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match. Pattern direction may be selected in vertical direction or horizontal direction.




**SOU002** Shown in red and gray colored MDF. PD: 0.5" or 1". PT: 1" or 1.5". Pattern Type: Continuous. Notes: Pattern is non-repeating. Pattern can be "Force Matched" for any size panel within the 5 pc 4x8 panel set size. Panel layout must be submitted in order to achieve panel match.



**SOU003** Shown in red and blue colored MDF. PD: 1". PT: 1.5". Pattern Type: Single Panel. Pattern is only available in 4'x8'. Can be mirrored or "book matched" to allow for side by side installation.



**SOU004** Shown in red and yellow colored MDF. PD: 0.5" or 1". PT: 1" or 1.5". Pattern Type: Continuous. Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match.



**SOU005** Shown in red and blue colored MDF. PD: 0.5" or 1". PT: 1" or 1.5". Pattern Type: Continuous. Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match.



**SOU009** Shown in Snow White membrane finish. PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Notes: Pattern repeats every 48 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction.



**SOU013** White high gloss membrane finish. PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 24 inches parallel to pattern direction.



**SOU014** Shown in Snow White membrane finish. PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction.



**SOU015** Pasadena Maple membrane finish. PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction.



**SOU016** Shown in finish by others.  
PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction.



**SOU017** Ebony Starlight membrane finish.  
PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction.



**SOU018** Red High Gloss membrane finish.  
PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction.



**SOU900** Shown in finish by others.  
PD: 1.2" PT: 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 48 inches perpendicular to pattern direction and every 96 inches parallel to pattern direction.



**SQB001** Shown in Black SilTex finish.  
PD: 0.75". PT: 1.5". Pattern Type: Repeating/Continuous. Notes: It is limited to 4'x8' or 4'x'10' panel sizes only.



**SST002** Shown in white paint finish  
PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern bandwidth is 1 inch. Pattern repeats every 48 inches parallel to direction of cut. For best results, panel dimensions that are perpendicular to pattern direction need to be whole numbers.



**SST003** Shown in white paint finish.  
PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 96 inches parallel to direction of cut. Pattern bandwidth is 1 inch. Must be "A-B" panel match for horizontal repeat. Pattern direction may be selected in vertical direction or horizontal direction. Panel dimensions that are perpendicular to pattern direction need to be a multiple of two.



**SST003.2** Shown in white paint finish.  
PD: Variable. PT: 0.75", 1", 1.5" Pattern Type: Repeating/Continuous. Pattern repeats every 96 inches parallel to direction of cut. (Repeating 4' x 8'). Pattern bandwidth is 2 inch. Custom sizes also available. For best results, panel dimensions that are perpendicular to pattern direction need to be a multiple of two.



**SWC012** Red High Gloss membrane finish.  
PD: 0.25". PT: 0.75". Pattern Type: Repeating. Panel has interlocking edges (edge is shown). Please call for details. Cannot be produced in different sizes.






**SWD001** Shown in unfinished blue colored MDF. PD: 0.1". PT: 0.25". Pattern Type: Continuous. Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match. Pattern direction may be selected in vertical direction or horizontal direction.



**TBH006** Shown in raw HDF. PD: 0.3". PT: 0.75". Pattern Type: Continuous. Pattern is non-repeating. Panel layout must be submitted in order to achieve panel match.



**TNB001** Shown in red colored MDF. PD: 0.75". PT: 1.0". Pattern Type: Repeating. Panel has interlocking edges. Please call for details. Pattern is limited to repeating panels only. Cannot be produced in different sizes.



**TNB020** Shown in unfinished IDF. PD: 0.75". PT: 1.0". Pattern Type: Repeating. Panel has interlocking edges. Please call for details. Pattern is limited to repeating panels only. Cannot be produced in different sizes.



**TSK001** Shown in finish by others. PD: 0.52". PT: 0.75". Pattern Type: Repeating. Please call for custom panel sizes.



**TSK002** Shown in customer specified paint. PD: 0.375". PT: 0.75". Pattern Type: Repeating. Please call for custom panel sizes.




**TSK015** Shown in Snow White membrane finish. PD: 0.175". PT: 0.75". Pattern Type: Repeating. Please call for custom panel sizes.



**UBB** Shown in Snow White membrane finish. PD: 0.2". PT: 0.75". Pattern Type: Repeating/Continuous. Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction.



**UWT001** Shown in copper metallic paint. PD: 1.35" (High to Low). PT: 1.5". Pattern Type: Repeating. Panel has interlocking edges. Nominal panel size: Please call for details.



**UWT002** Shown in finish by others.  
PD: 0.57" (high to low concave), PT: .75".  
Pattern Type: Repeating. Panel has  
interlocking edges. Nominal panel size:  
Please call for details.



**UWT003** Lt. Blue Metallic Gloss membrane finish.  
PD: 0.57" (high to low convex), PT: 1".  
Pattern Type: Repeating. Panel has  
interlocking edges. Nominal panel size:  
Please call for details.



**V Flute** Shown in finish by others.  
PD: 0.25". PT: 0.75". Pattern Type: Repeating.  
It is limited to 4'x8' or 4'x10' panels  
only.



**W12B** Shown in finish by others.  
Profile Depth: 0.156". Overall pattern depth:  
1". PT: 1.5". Pattern Type: Repeating. It is  
limited to 4'x8' or 4'x10' panels only.



**W12V** Shown in Snow White membrane finish.  
Profile depth: 0.25". Overall pattern depth:  
1". PT: 1.5". Pattern Type: Repeating. It is  
limited to 4'x8' or 4'x10' panels only.



**W406B** Shown in Amati PC membrane finish.  
Profile depth: 0.156". Overall pattern depth:  
1". PT: 1.5". Pattern Type: Repeating. It is  
limited to 4'x8' panels only.



**W406V** Shown in Shark Grey membrane finish.  
PD: 0.25". PT: 1.5". Pattern Type: Repeating.  
It is limited to 4'x8' panels only.



**W1201** Shown in unfinished IDF.  
PD: varies up to 1" depending on panel  
thickness. PT: 0.75", 1", 1.5". Pattern Type:  
Repeating 1" band on 12" wave.  
It is limited to 4'x8' or 4'x 10' panels only.



**W1202** Shown in unfinished IDF.  
PD: varies up to 1" depending on panel  
thickness. PT: 0.75", 1", 1.5". Pattern Type:  
Repeating 2" band on 12" wave.  
It is limited to 4'x8' or 4'x 10' panels only.



**W1204** Shown in Barrel Steel Metallic paint. PD: varies up to 1" depending on panel thickness. PT: 0.75", 1", 1.5". Pattern Type: Repeating 4" band on 12" wave. It is limited to 4'x8' or 4'x 10' panels only.



**W1208** Shown in Barrel Steel Metallic paint. PD: varies up to 1" depending on panel thickness. PT: 0.75", 1", 1.5". Pattern Type: Repeating 8" band on 12" wave. It is limited to 4'x8' or 4'x 10' panels only.



**W1601.5A** Shown in Tin Metallic paint. PD: 1.0". PT: 1.5". Pattern Type: Repeating. Pattern available in standard 48" x 96" panel size. Pattern direction available in horizontal direction only.



**W1604** Shown in Rusty Steel finish. PD: varies up to 1" depending on panel thickness. PT: 0.75", 1", 1.5". Pattern Type: Repeating 4" band on 16" wave. It is limited to 4'x8' or 4'x 10' panels only.




**W1608** Shown unfinished HDF. PD: varies up to 1" depending on panel thickness. PT: 0.75", 1", 1.5". Pattern Type: Repeating 8" band on 16" wave. It is limited to 4'x8' or 4'x 10' panels only.



**W1624** Shown finish by others. PD: varies up to 1" depending on panel thickness. PT: 0.75", 1", 1.5". Pattern Type: Repeating 24" band on 16" wave. It is limited to 4'x8' or 4'x 10' panels only.



**W1648** Shown in finish by others. PD: varies up to 1" depending on panel thickness. PT: 0.75", 1", 1.5". Pattern Type: Repeating 48" band on 16" wave. It is limited to 4'x8' or 4'x 10' panels only.



**Willow** Shown in Amati Walnut membrane finish. Willow is comprised of 8 pieces that are different widths and are 1.5 inches thick. Each piece is connected to a backerboard of 12mm baltic birch plywood. Nominal panel size is 51" wide at it's widest point and 96" tall at it's tallest point. Each individual piece can be finished differently for an original look, if desired.



**WP1** Shown in Snow White membrane finish. PD: 0.25". PT: 0.75". Pattern Type: Repeating. Available only in 48" x 96" panel size.



**WP2** Shown in Snow White membrane finish.  
PD: 0.25". PT: .75". Pattern Type: Repeating.  
Available only in 48" x 96" panel size.



**WP4** Shown in Snow White membrane finish.  
PD: 0.25". PT: 0.75". Pattern Type: Repeating.  
Available only in 48" x 96" panel size.



**ZPR62CC** Shown in unfinished IDF.  
PD: 0.75". PT: 1.5". Pattern Type: Repeating.  
Please call for available panel sizes. Panel thickness includes plywood backer.



**ZPR62CV** Pasadena maple membrane finish.  
PD: 0.75". PT: 1.5". Pattern Type: Repeating.  
Please call for available panel sizes. Panel thickness includes plywood backer.



**ZPR82CC** Shown in unfinished IDF.  
PD: .75". PT: 1.5". Pattern Type: Repeating.  
Please call for available panel sizes. Panel thickness includes plywood backer.



**ZPR82CV** Shown in (AR) Pearwood membrane.  
PD: .75". PT: 1.5". Pattern Type: Repeating.  
Please call for available panel sizes. Panel thickness includes plywood backer.




**ZPR82FS** Shown in yellow SilTex finish.  
PD: None. PT: 0.75". Pattern Type: Repeating.  
Please call for available panel sizes. Panel thickness includes plywood backer.



**ZPR82SS** Shown in blue SilTex finish.  
PD: 0.5". PT: 0.75". Pattern Type: Repeating.  
Please call for available panel sizes. Panel thickness includes plywood backer.








**2CBB** Shown in sand blasted acrylic.  
Nominal Panel Size: 48" x 96". Pattern Depth: 0.9". Panel Thickness: 1.0". Pattern Type: Repeating/Continuous Pattern repeats every 12 inches perpendicular to pattern direction and every 48 inches parallel to pattern direction. (Repeating 4' x 8')



**INTERLAM CORP.**

391 Hickory Street | Mount Airy, NC 27030  
336-786-6254 | [www.interlam-design.com](http://www.interlam-design.com)

Connect with us:     



**INTERLAM™**

SURFACES REDEFINED



ART DIFFUSION



elements



SCREENS